




DORAL
ALUMINIUM SYSTEMS


Partner for success!




LIFTING & SLIDING
THERMALLY INSULATED
HEAVY DUTY TYPE

Perfect Slide **MULTI SAFE**
SUPER THERMIC


for **CE** marking




15010 W=2662gr/m
A=0,636m²/m
Double track




94235 W=134gr/m
A=0,050m²/m
Stainless track insert
(for window/shutter/insect screen)




94105 W=516gr/m
A=0,271m²/m
Additional track




82300 W=221gr/m
A=0,062m²/m
Track support
(for 94995 additional track)




15025 W=1945gr/m
A=0,598m²/m
Window/balcony door sash



15045 W=945gr/m
A=0,391m²/m
Additional profile
(for 15025 window/balcony door sash)
(meeting stiles)




15035 W=566gr/m
A=0,295m²/m
Hook
(for 15025 window/balcony door sash)




94505 W=1028gr/m
A=0,434m²/m
Insect screen sash




94515 W=488gr/m
A=0,170m²/m
Insect screen muntin
for 94505 insect screen sash profile




94042 W=426gr/m
A=0,252m²/m
Hook
(for 94505, insect screen sash profile)




94052 W=574gr/m
A=0,280m²/m
Additional profile
(for 94505, insect screen sash profile)




29005 W=294gr/m
A=0,169m²/m
Insect screen single track




29015 W=570gr/m
A=0,325m²/m
Insect screen double track



29035 W=699gr/m
A=0,335m²/m
Insect screen sash
for 29005 & 29015 profiles




52525 W=536gr/m
A=0,156m²/m
Insect screen muntin
for 29035 profile




82422 W=659gr/m
A=0,371m²/m

Casing trim for built-in windows/balcony doors & shutters




82412 W=230gr/m
A=0,131m²/m

Cover for casing Trim 82422




82432 W=238gr/m
A=0,145m²/m

Additional profile for casing trim 82422




45105 W=60gr/m
A=0,040m²/m

Hooked casing trim "Zero"




70585 W=86gr/m
A=0,056m²/m

Hooked casing trim flat 5mm




45115 W=187gr/m
A=0,113m²/m

Hooked casing trim "Flat"




45845 W=319gr/m
A=0,174m²/m

Hooked casing trim "Standard"




45875 W=465gr/m
A=0,261m²/m

Hooked casing trim "Curve"




45855 W=426gr/m
A=0,236m²/m

Hooked casing trim "Step"




45865 W=465gr/m
A=0,263m²/m

Hooked casing trim "Wave"




40465 W=724gr/m
A=0,287m²/m

Shutter louver 'round'



40415 W=794gr/m
A=0,342m²/m

Shutter louver 'canted'



82335 W=436gr/m
A=0,272m²/m

Shutter louver 'S'

40495 W=691gr/m
A=0,302m²/m

Shutter louver 'traditional'

40435 W=786gr/m
A=0,372m²/m


Shutter louver 'canted' (big)

82465 W=482gr/m
A=0,306m²/m

Shutter louver 'S' (big)


82325 W=221gr/m
A=0,160m²/m

Additional profile for shutter louver 'S'




42475 W=255gr/m
A=0,152m²/m

Rectangular bead




42485 W=259gr/m
A=0,154m²/m

Rectangular bead




42525 W=267gr/m
A=0,157m²/m

Rectangular bead




50145 W=281gr/m
A=0,166m²/m

Rectangular bead




50155 W=311gr/m
A=0,181m²/m

Rectangular bead




72515 W=321gr/m
A=0,188m²/m

Rectangular bead




72525 W=332gr/m
A=0,194m²/m

Rectangular bead



72535 W=343gr/m
A=0,200m²/m

Rectangular bead



72545 W=357gr/m
A=0,208m²/m

Rectangular bead

Table of accessories







































| | | | | | |
|--|--|---|--|--|--|
| 00468  Corner joint bracket (Die-cast aluminium) | 00463  Corner joint bracket (Die-cast aluminium) | 00342  Corner joint bracket (Die-cast aluminium) | 15081  Internal sash coupling square (Aluminium profile) | 15080  External sash coupling square (Aluminium profile) | 00708  Alignment square (Stainless steel) |
| 00172  Alignment square (Stainless steel) | 15009  External sash wing alignment square (Polyamide 6.6 Black) | 15033  Alignment square (Polyamide 6.6 Black) | 29080  Alignment square (Polyamide 6.6 Black) | 15004  Hook cap (Polyamide 6.6 Black) | 15006  Glazing support base (Polyamide 6.6 Black) |
| 02008  Casing trim alignment square (Aluminium profile) | 15002  Frame insulation profile (Hard PVC) | | 08209  Adjustable roller (for 94505 insect screen sash profile) (Polyamide 6.6 Black) | 82084  Accessory for frame join (Aluminium) | 00370  Security spacer (for 94505 insect screen sash profile) (Polyamide 6.6 Black) |
| 40496  Side cap for shutter louver 40495 (Polyamide 6.6 Black) | 76034  Tightness set 34mm (Aluminium) | | | | |

Table of gaskets

| | | | | | |
|---|---|---|--|--|---|
| 16280  Wedge gasket 1,5mm (EPDM Black) | 02695  Wedge gasket 2,5mm (EPDM Black) | 02690  Wedge gasket 3mm (EPDM Black) | 02691  Wedge gasket 4mm (EPDM Black) | 02730  Wedge gasket 5mm (EPDM Black) | 21760  Wedge gasket 6mm (EPDM Black) |
| 94001  Weathering & meeting stiles vibration absorption gasket (EPDM Black) | 93005  Insect screen gasket (EPDM Black) | 29002  Insect screen gasket for 29035 profile (meeting stiles) (EPDM Black) | 15036  Insulation gasket for 15035 (EPDM Black) | 11008  Weathering gasket (EPDM Black) | 94166  Weathering gasket (EPDM Black) |
| 94009  Gasket for additional profile (EPDM Black) | 02132  Casing trim gasket 10mm (EPDM Black) | 02827  Casing trim gasket 15mm (EPDM Black) | 02191  Casing trim gasket 20mm (EPDM Black) | 93417  Tightness set for 94155 profile (EPDM Black) | 39066 39068 39012 39618  Woven weatherstripping pile 6mm, 8mm, 12mm, 18mm (Polypropylene) |
| 39088  Woven weatherstripping pile 8mm with flexible fin (Polypropylene) | | | | | |


DORAL

DORAL S.A. ALUMINIUM SYSTEMS EXTRUSION COMPANY

ISO 9001:2008



INDUSTRIAL PARK OF KALOHORI

GR - 570 09 THESSALONIKI, GREECE

TEL.: +30 2310 565 046, FAX: +30 2310 565 151

e-mail: export3@doral.gr

www.doral.gr

